

# **OVERVIEW** MOTORS & GEARMOTORS



BRUSH BRUSHLESS SYNCHRONOUS STEPPER

**MOTION** 

motors.crouzet.com

# **ABOUT CROUZET**

The Motion product line provides innovative engineering expertise, high quality service and a complete offer of standard direct drives, geared motors and motion control solutions for applications where performance is key. Our ability to customize solutions as per virtually any customers' request makes us the right partner to tackle the most demanding projects.

Crouzet is a brand of InnoVista Sensors™.

With a long-term commitment to technological excellence, the engineering teams have mastered the following core technologies and know-how:

- > Electromagnetism
- Thermal dynamics
- Electromechanical systems
- Electronic drives

Covering the power range from 1 to 1000 W peak (1/100 to 1HP+) and available with spur, worm or planetary gearboxes, plus adapted controllers, our offer is specifically designed for access control systems, pumps and valves, railway applications, electrical equipment, medical equipment and the industry.



InnoVista Sensors<sup>™</sup> is a worldwide industrial specialist of sensors, controllers and actuators for automated systems.

Through its brand Crouzet, InnoVista Sensors™ offers a wide range of reliable, efficient and customizable components dedicated to the Aerospace & Defense, Transportation and Industrial markets and segments.

Thanks to the recognized expertise of its teams and a strong innovation policy, InnoVista Sensors™ brings performance enhancing solutions to its customers worldwide.

InnoVista Sensors™: your trusted partner of choice to face industrial challenges of today and tomorrow.

www.innovistasensors.com

# Designs & ManufacturesImage: SensorsImage: SensorsSensorsImage: SensorsImage: Sensors</t

# **MOTORS, CONTROL ELECTRONICS AND GEARBOXES**

	MOTORS									
	Industrial Brush		DCmind Brush		DCmind Brushless		Synchronous		Stepper	
	(č.	C.				C	THE	· .	A REAL	6
CHARACTERISTICS	82840 82860	82800 10 50	82830 82890	89800 10 50	89830 89890	80140 180 280	80350 60 70	82510 20 30 40	82340 82330	82910 20 30 40
Nominal power (W)	0.9/3	9 <del>→</del> 33	30 <del>→</del> 95	15 → 35	55 / 104	66 → 170	310 → 600	0.3 → 3	0.2 / 0.4	0.5 → 5
Voltage	12 / 24 V	12 → 48 V	12 → 48 V	12 → 48 V	12 → 120 V	9 → 75 V	9 → 75 V	24 → 240 V~ 50 → 60 Hz	24 → 240 V~ 50 → 60 Hz	3 → 64 V
Front side (mm)	Ø 32	Ø 42	Ø 63	Ø 42	Ø 63	SQ57	SQ75	Ø 35 / 51 Ø 57 / 65	Ø 47	Ø 35 / 51 Ø 57 / 65
Nominal speed (rpm)	3700	3000	3000	3000	3000	3000	3000	250 - 600	600 / 720	0 - 1500
Nominal torque (mNm)	2.2 / 7.7	41 → 100	170 / 270	50 → 110	180 / 290	125 → 550	830 → 1900	10 → 110	2.5 → 8	15 → 300
Noise level (dBA)	55	55	55	35	35	45	50	30	45	35
Service life (hrs)	2000	3000	5000	4000	5000	20000	20000	20000	10 M on / off	20000
Certification	c <b>FN</b>	us C E 🅠	HS	c <b>Al</b> us (	E SROHS	CEV	RoHS	c <b>91</b> °us (	E SROHS	CE
Gearboxes	G	+	in the second		<b>\$</b>		<b>\$</b> \$ <sup>0</sup> \$		÷t	÷t
Connection	$\overline{\mathbb{O}}$					K		-		$\checkmark$
Standard				((m))) ((m))	••••	<b>(</b> ((j)))	• • • • • •			
Options	(((	p))	•••							
IP		IP20		IP	65*	IP54	IP65*, IP67* IP69*	IP40	IP30	IP40
* Except front face & shaft										

\* Except front face & shaft

# LEGENDE



# **ACCESSORIES & OPTIONS**

All our motor ranges can be accompanied by factory-mounted encoders and mechanical brakes:

- > Brakes from 0.25 N.m to 4.5 N.m
- > Encoders from 1 to 3600 points/rev
- > Special connectors
- > Special output shaft



CONTROL ELECTRONICS						
	Integrated	External				
The second						
TNi21	SMi21	SMi22	BDE 30	BDE 40		
SC	257	SQ75	SQ57			
٠	•	•	•	•		
	4096	4096				
DCmind Soft & DCmind Soft + CANopen		DCmind Soft + CANopen	PWM or $0 \rightarrow 10$ VDC			
	CANOPCA Optional	CANOPER Standard				
10 → 36 V	9 → 75 V	9 → 75 V	18 → 36 V	10 → 36 V		
17	17	75	10	14		
	9 → 75 V	9 → 75 V				

	CONTROL ELECTR			ONICS		
	Integrated			External		
CHARACTERISTICS	TNi21	SMi21	SMi22	BDE 30	BDE 40	
Compatible models	SQ57		SQ75	SQ57		
Speed-torque	٠	•	•	٠	•	
Position (c/t)		4096	4096			
Programming		DCmind Soft & DCmind Soft + CANopen	DCmind Soft + CANopen	PWM or $0 \rightarrow 10$ VDC		
Communication bus		CANOPER Optional	CANOPen Standard			
Voltage	10 → 36 V	9 → 75 V	9 → 75 V	18 → 36 V	10 → 36 V	
Maximum current (A)	17	17	75	10	14	
Adaptations	Programs: Custom firmware as per customer specifications					





CHARACTERISTICS				
Torque (Nm)				
Power (W)				
Service life (Mt*)				
Ratios				
Options				
* Million revolutions				

## ADAPTED PRODUCTS

To meet your expectations, Crouzet offers you custom products matching your requirements, in the following areas:

- Control electronics
- > Motor characteristics
- Gearboxes
- > IP65, IP67, IP69
- > Ether CAT.







GEARBOXES					
rallel shafts	Planetary	Worm			
· .					
10 models	7 models	2 models			
0.5 → 6	0.8 → 120	10 → 20			
0.2 → 50	8 → 600	25 → 600			
1 → 10	50	50			
4 → 4500	4 → 308	5 → 100			
Shafts: stainless steel, pulleys, pinions, special bearings etc.					



# ADAPTATION WHEEL

To meet market expectations and provide customers with the right solutions within the shortest timeframes, Crouzet has structured all company processes around the different types of product: standard products, adapted products or products specially developed for a customer. Introducing the adaptation wheel...

#### SPECIAL PRODUCTS

When the adaptation is no longer suitable, we focus our design, manufacturing and qualification expertise on developing a new product designed to meet your requirements.

4

3

#### STANDARD PRODUCTS

We offer a full range of motors and geared motors, including AC synchronous, brush and brushless DC and stepper motors. Our products are available immediately so you can quickly implement your projects.

#### ADAPTED PRODUCTS

All projects are different, so we adapt the performance and functionality of each product to your requirements, ensuring the success of your most complex applications.

## PRODUCTS WITH ADDED VALUE

2

All our standard products can be complemented by factory-installed extras, accessories or programs including connectors, special contacts, software etc., to assist integration into your equipment, simplify your logistics and maximize the reliability of your installations.

## ACTUAL EXAMPLES



# Releasable linear actuator for gas boilers equipped with a stepper motor:

- > Gas flow adjustment
- Automatic closing in the event of a power failure
- Gas-tightness measured on the production line



## Gear pump equipped with a brushless motor:

- > Rotor with leak tight seal
- Application-specific electronics
- > Shortened motor



Brushless motor with integrated electronics for Access Control in public transportation applications:

- Autonomous torque, speed and position control
- Specific firmware with integrated emergency mode
- > Reinforced gearbox
- > CANopen communication
- > High resistance against vandalism



#### AMERICAS

#### CANADA

Tel.: +1 (855) 929-5465 americas.custserv@crouzet.com

#### MEXICO

Tel.: +1 (855) 929-5465 americas.custserv@crouzet.com

#### USA

+1 (855) 929-5465 americas.custserv@crouzet.com

#### **COUNTRIES NOT LISTED**

+1 (855) 929-5465 americas.custserv@crouzet.com

#### EUROPE / MIDDLE EAST / AFRICA

SWITZERLAND

Tel.: +41 (0) 225 67 57 90

Fax: +41 (0) 565 88 02 75 kundenservice@crouzet.com

THE NETHERLANDS

UNITED KINGDOM

Tel.: +44 (0) 2076 600 025

**COUNTRIES NOT LISTED** 

Fax: +33 (0) 475 828 900 customer.relation@crouzet.com

customer.relation@crouzet.com

Tel.: +31 (0) 20-654 52 20 klantenservice@crouzet.com

#### BELGIUM

Tel.: +32 (0) 2 620 06 05 Fax: +32 (0) 2 461 00 23 klantenservice@crouzet.com

#### FRANCE

Tel.: +33 (0) 475 802 101 Fax: +33 (0) 475 828 900 relationclient@crouzet.com

#### **GERMANY / AUSTRIA**

Tel.: +49 (0) 2103/9385930 Fax: +49 (0) 2103/980-222 kundenservice@crouzet.com

#### ITALY

Tel.: +39 (02) 38 594 099 Fax: +39 (02) 82 952 104 assistenzaclienti@crouzet.com

#### SPAIN / PORTUGAL

Tel.: +34 (91) 215 80 95 Fax: +34 (93) 2 20 02 05 atencionalcliente@crouzet.com

### ASIA / PACIFIC

#### CHINA

Tel.: +86 (21) 8025 7166 Fax: +86 (21) 6107 1771 china@crouzet.com

#### INDIA

Tel.: +91 (80) 6762 4501/500 india@crouzet.com

#### SOUTH KOREA

Tel.: +82 (2) 2679 8312 Fax: +82 (2) 2679 9888 korea@crouzet.com

#### EAST ASIA PACIFIC

Tel.: +86 (21) 8025 7177 Fax: +86 (21) 6107 1771 eap@crouzet.com

#### Warning:

The product information contained in this catalogue is given purely as information and does not constitute a representation, warranty or any form of contractual commitment. Crouzet Automatismes SAS and its subsidiaries reserve the right to modify their products without notice. It is imperative that we should be consulted over any particular use or application of our products and it is the responsibility of the buyer to establish, particularly through all the appropriate tests, that the product is suitable for the use or application. Under no circumstances will our warranty apply, nor shall we be held responsible for any application (such as any modification, addition, deletion, use in conjunction with other electrical or electronic components, circuits or assemblies, or any other unsuitable material or substance) which has not been expressly agreed by us prior to the sale of our products.

www.innovistasensors.com

